

Specification – Terrazzo

Item description – terrazzo

Terrazzo of block production produced in accordance to EN 13748-1 norm.

Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Technical values: _____
Bending resistance: _____
Abrasion resistance: _____
Water absorption: _____
Anti-slip classification: _____
Fire resistance: _____

The technical characteristics of the materials must be confirmed through:

- External controls of a recognized organization and internal controls in accordance with the directives of norm EN 13748-1
- Official certificate from an accredited test centre
- CE certification

Terrazzo tiles in accordance with EN 13748-1

Monolayer terrazzo tiles produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Size of tiles: e.g. 30x30cm
Thickness: e.g. 2cm (monolayer)
Surface: honed R9, with cement filled
Joints: 3-5mm
Lay system: stack pattern
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m² _____



Specification – Terrazzo

Terrazzo skirting in accordance with EN 13748-1

Terrazzo skirting produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Size: e.g. 50x7/1cm
Surface: honed R9, with cement filled
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m _____

Terrazzo stair skirting in accordance with EN 13748-1

Terrazzo stair skirting produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Size: e.g. 7/1cm
Surface: honed R9, with cement filled
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m _____

Specification – Terrazzo

Terrazzo treads in accordance with EN 13748-1

Terrazzo treads produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Length: e.g. 135cm
Width: e.g. 32cm
Thickness: e.g. 4cm
Surface: honed R9, with cement filled
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m²/pcs/m _____

Terrazzo risers in accordance with EN 13748-1

Terrazzo risers produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Length: e.g. 135cm
Height: e.g. 14cm
Thickness: e.g. 2cm
Surface: honed R9, with cement filled
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m²/pcs/m _____



Specification – Terrazzo

Terrazzo winkelstufen (treads + risers glued) in accordance with EN 13748-1

Terrazzo winkelstufen (treads + risers glued) produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Length: e.g. 135cm
Width/height: e.g. 32/17cm
Thickness: e.g. 4cm
Surface: honed R9, with cement filled
Glued system: Type A
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m²/pcs/m _____

Terrazzo winkelstufen monoblock in accordance with EN 13748-1

Terrazzo winkelstufen monoblock produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Length: e.g. 135cm
Width/height: e.g. 32/17cm
Thickness: e.g. 4cm
Surface: honed R9, with cement filled
Profile: M100
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m²/pcs/m _____

Specification – Terrazzo

Terrazzo windows sills in accordance with EN 13748-1

Terrazzo windows sills produced from block in accordance with EN 13748-1, of the same above described material, to lay in internal rooms.

Length: e.g. 135cm
Width/height: e.g. 20cm
Thickness: e.g. 2cm
Surface: honed R9, with cement filled
Product: EUVAL[®] terrazzo
Type: e.g. 92.30 Cargrey[®]
Producer: EurAgglo s.r.l.
Via Domenico da Lugo 12
37023 Lugo di Grezzana - Verona – Italy
Tel. +39 045 880 1950 – Fax +39 045 881 9490
info@euval.com

Quantity: m²/pcs/m _____

Anti-slip system

1 PVC profile continuous

Colour: e.g. black, grey, beige or brown
Distance from edge: e.g. 3cm

Quantity: m tread _____

1 PVC profile with 2 standstill

Colour: e.g. black, grey, beige or brown
Distance from edge: e.g. 3cm
Distance from head: e.g. 5/10cm

Quantity: m tread _____

1 steel blade continuous

Distance from edge: e.g. 3cm
Projection: ca. 2mm
Thickness: ca. 3mm

Quantity: m tread _____

Specification – Terrazzo

1 steel blade with 2 standstill

Distance from edge: e.g. 3cm
Distance from head: e.g. 5/10cm
Projection: ca. 2mm
Thickness: ca. 3mm

Quantity: m tread _____

1 sanding strip continuous

Distance from edge: e.g. 3cm
Width: e.g. 5cm

Quantity: m tread _____

1 sanding strip with 2 standstill

Distance from edge: e.g. 3cm
Distance from head: e.g. 5/10cm
Width: e.g. 5cm

Quantity: m tread _____

1 contrast strip continuous

Distance from edge: directly on edge
Width: 4-5cm
Thickness: 1-2cm

Quantity: m tread _____